



Unidad Industrial Coatzacoalcos

SALES SPECIFICATION

EVC-099

TRIETHANOLAMINE 80%

03/12/19

1 of 1

Revision

02

FORMULA: $N(CH_2-CH_2-OH)_3$

MOL WT: 149.19

DESCRIPTION

At higher than room temperature, it is a clear, hygroscopic and viscous liquid.

APPLICATIONS

Intermediary in the preparation of antifreeze, detergents, cosmetics, gel and shampoos.

SPECIFICATIONS

TEST METHOD

Appearance ⁽¹⁾	Clear liquid		MP-000
Triethanolamine, wt. %	80.0	Min.	MP-200
Water, wt. %	18.0	Min.	MP-002
	20.0	Max.	
Color, Pt. Co. Scale	30.0	Max.	MP-001
Equivalent Weight	181.0	Min.	MP-202
	185.0	Max.	
Specific Gravity, 20/20 °C	1.1150	Min.	MP-004
	1.1300	Max.	

Notes:

(1) At temperatures below 7 ° C (44.6 ° F), the product begins to solidify

AVAILABILITY

In bulk.

Headquarters Bosque de Radiatas No. 34, Bosques de las Lomas, Cuajimalpa de Morelos, C.P. 05120. CDMX, Tel. 2789-2200 Fax: 2789-2351

Coatzacoalcos Plant: km 4.2 Boulevard Morelos, Parque Industrial Petroquímico Morelos, Coatzacoalcos, Veracruz, 96400

Website

www.grupoidesa.com

Email

Commercial: pedidosidesa@idesa.com.mx

Quality: calidesa@idesa.com.mx